Conners' Rating Scale for Parents (Revised - L)

Full name of child:	Gender:			
Birthday:	Age:	School	ol grade:	
Full name of parent:	Date sub	mitted:		
	blems that children have. Please rate each item according to your child ourself, "How much of a problem has this been in the last month?"			
	Not true at all	Just a little true	Pretty much true	Very much true
1. Angry and resentful	0	<u> </u>	<u> </u>	3
2. Difficulty doing or completing homework	0	<u> </u>	<u> </u>	3
3. Is always "on the go" or acting as if driven by a motor	0	<u> </u>	2	3
4. Timid, easily frightened	0	<u> </u>	2	3
5. Everything must be just so	0	<u> </u>	2	3
6. Has no friends	0	<u> </u>	2	3
7. Stomach aches	0	<u> </u>	2	3
8. Fights	0	<u> </u>	2	3
9. Avoids, expresses reluctance about, or has difficulties engaging with tasks that require sustained mental effort (such as schoolwork or homework)	0	<u> </u>	2	3
10. Has difficulty sustaining attention in tasks or play activiti	ies 0	<u> </u>	2	3
11. Argues with adults	0	<u> </u>	<u> </u>	3

	Not true at all	Just a little true	Pretty much true	Very much true
12. Fails to complete assignments	0) 1	<u> </u>	3
13. Hard to control in malls or while grocery shopping	0) 1	2	3
14. Afraid of people	0) 1) 2	3
15. Keeps checking things over and over again	0) 1) 2	3
16. Loses friends quickly	0) 1) 2	3
17. Aches and pains	0) 1) 2	3
18. Restless or overactive	0) 1) 2	3
19. Has trouble concentrating in class	0) 1		3
20. Does not seem to listen to what is being said to him/her/them	0) 1	2	3
21. Loses temper	0) 1	2	3
22. Needs close supervision to get through assignments	0) 1	<u> </u>	3
23. Runs about or climbs excessively in situations where it is inappropriate	0	1	2	3
24. Afraid of new situations	0	<u> </u>	<u> </u>	3

	Not true at all	Just a little true	Pretty much true	Very much true
25. Fussy about cleanliness	0	1	<u> </u>	3
26. Does not know how to make friends	0	1	2	3
27. Gets aches and pains or stomachaches before school	0	1	<u> </u>	3
28. Excitable, impulsive	0) 1	2	3
29. Does not follow through on instructions and fails to finish schoolwork, chores, or duties in the workplace (not due to oppositional behavior or failure to understand instructions)	0) 1	<u> </u>	3
30. Has difficulty organizing tasks and activities	0) 1) 2	3
31. Irritable	0) 1) 2	3
32. Restless in the "squirmy" sense	0) 1	2	3
33. Afraid of being alone	0	1	2	3
34. Things must be done the same way every time	0	1	2	3
35. Does not get invited over to friends' houses	0) 1	<u> </u>	3
36. Headaches	0	1	<u> </u>	3
37. Fails to finish things he/she starts	0	1	<u> </u>	3

	Not true at all	Just a little true	Pretty much true	Very much true
38. Inattentive, easily distracted	0	<u> </u>	2	3
39. Talks excessively	0) 1	2	3
40. Actively defies or refuses to comply with adults' requests	0	1	<u> </u>	3
41. Fails to give close attention to details or makes careless mistakes in schoolwork, work, or other activities	0) 1		3
42. Has difficulty waiting in lines or awaiting turn in games or group situations	0) 1	2	3
43. Has a lot of fears	0) 1	2	3
44. Has rituals that he/she/they must go through	0) 1	2	3
45. Distractibility or attention span a problem	0	<u> </u>	2	3
46. Complains about being sick even when nothing is wrong	0	<u> </u>	2	3
47. Temper outbursts	0	1	<u> </u>	3
48. Gets distracted when given instructions to do something	0	<u> </u>	<u> </u>	3
49. Interrupts or intrudes on others (e.g., butts into others' conversations or games)	0	1	<u> </u>	3
50. Forgetful in daily activities	0) 1	<u> </u>	3

	Not true at all	Just a little true	Pretty much true	Very much true
51. Cannot grasp arithmetic	0) 1	2	3
52. Will run around between mouthfuls at meals	0) 1	2	3
53. Afraid of the dark, animals, or bugs	0) 1	<u> </u>	3
54. Sets very high goals for self	0) 1		3
55. Fidgets with hands or feet or squirms in seat	0) 1	<u> </u>	3
56. Short attention span	0) 1) 2	3
57. Touchy or easily annoyed by others	0) 1	<u> </u>	3
58. Has sloppy handwriting	0) 1	<u> </u>	3
59. Has difficulty playing or engaging in leisure activities quietly	0) 1	<u> </u>	3
60. Shy, withdrawn	0) 1	2	3
61. Blames others for his/her/their mistakes or misbehavior	0) 1	2	3
62. Fidgeting	0) 1	<u> </u>	3
63. Messy or disorganized at home or school	0) 1	<u> </u>	3

	Not true at all	Just a little true	Pretty much true	Very much true
64. Gets upset if someone rearranges his/her/their things	0) 1	<u> </u>	3
65. Clings to parents or other adults	0) 1	2	3
66. Disturbs other children	0) 1	2	3
67. Deliberately does things that annoy other people	0) 1	<u> </u>	3
68. Demands must be met immediately – easily frustrated	0) 1	2	3
69. Only attends if it is something he/she/they is/are very interested in	0) 1	<u> </u>	3
70. Spiteful or vindictive	0) 1	2	3
71. Loses things necessary for tasks or activities (e.g., school assignments, pencils, books, tools or toys)	0) 1	2	3
72. Feels inferior to others	0) 1	2	3
73. Seems tired or slowed down all the time	0) 1	2	3
74. Spelling is poor	0) 1	2	3
75. Cries often and easily	0	<u> </u>	2	3
76. Leaves seat in classroom or in other situations in which remaining seated is expected	0	<u> </u>	2	3

	Not true at all	Just a little true	Pretty much true	Very much true
77. Mood changes quickly and drastically	0	1	<u> </u>	3
78. Easily frustrated in efforts	0	1	<u> </u>	3
79. Easily distracted by extraneous stimuli	0	1	<u> </u>	3
80. Blurts out answers to questions before the questions have been completed	0	1	<u> </u>	3

Total score:	

Scoring and interpretation

This scale comprises 80 items for parents to rate their child's behavior over the past month. Each item is assessed using the following options:

- Not true at all = 0 points
- Just a little true = 1 point
- Pretty much true = 2 points
- Very much true = 3 points

After parents complete the scale, the scores are summed up. Healthcare professionals typically interpret the results using the T-score standardized measure:

- A T-score below 60 suggests no attention deficit hyperactivity disorder (ADHD)
- A T-score above 60 indicates possible ADHD.
- A score above 70 suggests severe ADHD symptoms.

Reference

Conners, C. K. (1997). The Conners Rating Scales – Revised manual. North Towanda, NY: Multi-health System