# **Cooper 12-Minute Run Test**

| Name:     | Age:               |
|-----------|--------------------|
| Examiner: | Date accomplished: |

# **Equipment/materials needed**

- · A stopwatch or a timer
- · A known distance track or a treadmill

# **Test procedure**

- 1. Let the test-taker warm-up by engaging in light jogging and dynamic movements for 10-15 minutes.
- 2. Use a track where distances are clearly marked, or set the treadmill to a slight incline (1%) to simulate outdoor running.
- 3. Begin the stopwatch as the test-taker starts running. Remind the test-taker to maintain a steady pace to cover as much distance as possible in 12 minutes.
- 4. At the end of 12 minutes, stop the stopwatch immediately and record the total distance covered.
- 5. Allow the test-taker to walk for about 10 minutes to gradually lower heart rate.

# Scoring standards

Men (distances in miles, treadmill at 1% grade incline)

|   | Highest death risk | 49% lower | 64% lower  | 76% lower | 80% lower |
|---|--------------------|-----------|------------|-----------|-----------|
| Age   | Poor               | Fair      | Good       | Excellent | Superior  |
| 18-19   | < 1.36 miles       | 1.37-1.57 | 1.58-1.67  | 1.68-1.89 | > 1.9     |
| 20-29   | < 1.32             | 1.33-1.47 | 1.48-1.64  | 1.65-1.83 | >. 1.84   |
| 30-39   | < 1.29             | 1.30-1.39 | 1.40-1.57  | 1.58-1.77 | > 1.79    |
| 40-49   | < 1.28             | 1.29-1.37 | 1.38-1.52  | 1.53-1.74 | > 1.75    |
| 50-59   | < 1.11             | 1.12-1.28 | 1.29-1.41  | 1.42-1.67 | > 1.68    |
| 60-69   | < 0.99             | 1.00-1.13 | 1.14-1.28  | 1.29-1.57 | > 1.58    |
| 70-79   | < 0.90             | 0.91-0.98 | 0.99-1.113 | 1.14-1.42 | > 1.43    |
| 80+   | < 0.81             | 0.82-0.92 | 0.93-1.02  | 1.03-1.28 | > 1.29    |
| 10-year<br>survival rate<br>from middle<br>age/50s) | 77%                | 91%       | 93.5%      | 96%       | 97%       |

Women (distances in miles, treadmill at 1% grade incline)

|   | Highest death risk | 49% lower | 64% lower | 76% lower | 80% lower |
|---|--------------------|-----------|-----------|-----------|-----------|
| Age   | Poor               | Fair      | Good      | Excellent | Superior  |
| 18-19   | < 1.29 miles       | 1.30-1.39 | 1.40-1.57 | 1.58-1.77 | > 1.78    |
| 20-29   | < 1.09             | 1.10-1.28 | 1.29-1.42 | 1.43-1.69 | >. 1.70   |
| 30-39   | < 1.05             | 1.06-1.22 | 1.23-1.37 | 1.38-1.64 | > 1.65    |
| 40-49   | < 1.03             | 1.04-1.18 | 1.19-1.32 | 1.33-1.60 | > 1.61    |
| 50-59   | < 0.99             | 1.00-1.09 | 1.10-1.28 | 1.29-1.57 | > 1.58    |
| 60-69   | < 0.89             | 0.90-0.98 | 0.99-1.13 | 1.14-1.39 | > 1.40    |
| 70-79   | < 0.79             | 0.80-0.89 | 0.90-0.99 | 1.00-1.28 | > 1.29    |
| 80+   | < 0.74             | 0.75-0.84 | 0.85-0.92 | 0.93-1.12 | > 1.13    |
| 10-year<br>survival rate<br>from middle<br>age/50s) | 77%                | 91%       | 93.5%     | 96%       | 97%       |

| _  |     |     |     |      |
|----|-----|-----|-----|------|
| ΙД | et. | tın | MII | nas  |
| 10 | Jι  |     | ш   | IIUO |

| Distance covered:  |
|--|
| Satisfactory: Meets or exceeds age and gender-specific fitness standards.  |
| Satisfactory. Meets or exceeds age and gender-specific fittless standards. |
| Unsatisfactory: Does not meet age and gender-specific fitness standards.   |
| Additional notes   |
|  |
|  |
|  |
|  |
|  |
|  |

#### References

Farrell, S. (2018, June 8). 50 years of the Cooper 12-minute run. Cooper Institute. <a href="https://www.cooperinstitute.org/blog/50-years-of-the-cooper-12-minute-run">https://www.cooperinstitute.org/blog/50-years-of-the-cooper-12-minute-run</a>

Quinn, E. (2008, December 5). Using the Cooper test 12-minute run to check aerobic fitness. Verywell Fit. <a href="https://www.verywellfit.com/fitness-test-for-endurance-12-minute-run-3120264">https://www.verywellfit.com/fitness-test-for-endurance-12-minute-run-3120264</a>