## **Maladaptive Daydreaming Test**

Name: _							Age	:		
Gender:					D	ate:				
	adaptive ents rate e					e 16-item ence.	n Malada	aptive Da	aydreamir	ng Scale.
	e people i c activate				an trigge	er their da	ydreami	ng. To w	hat exter	nt does
0%	10%	20%	30%	40%	50%	60%	70%	80%	90%	100%
Never	10%	20%	30%	40%	30 70	0076	70%		ktremely f	
even	t at a late	r point. V	Vhen a re	eal world	event ha	that was s interrup ydream a	ted one	ted by a	real worl daydrean	d
0%	10%	20%	30%	40%	50%	60%	70%	80%	90%	100%
No urge		2070	0070	1070		0070	1070	0070	Extreme	
	often are laughing					nied by vo	ocal nois	ses or fac	cial expre	essions
0%	10%	20%	30%	40%	50%	60%	70%	80%	90%	100%
Never								Ext	remely fre	equently
due t						not able to you by y				
00/	100/	200/	200/	400/	50%	600/	700/	900/	90%	100%
0% No distr	10% ress at all	20%	30%	40%	30 70	60%	70%	80% Ex	treme dis	
or ta		much do				eaming int rfere with				
0%	10%	20%	30%	40%	50%	60%	70%	80%	90%	100%
No inter	ference a	t all						Exti	eme inter	ference
dayd		How dist				the amou eel about				pend
0%	10%	20%	30%	40%	50%	60%	70%	80%	90%	100%
No distr	ess at all								Extreme	distress

dayd	n you kno h, how dif Ireaming?	ficult wa								to or
0%	10%	20%	30%	40%	50%	60%	70%	80%	90%	100%
No diffic	culty at all					1			Extreme (	difficulty
impo	e people l ortant to the	hem. Hov	v much d	lo you fee						
0%	10%	20%	30%	40%	50%	60%	70%	80%	90%	100%
	rference at		0070	1070		0070	. 0 / 0		eme inter	ference
	e people e cult has it								ming. Ho	w
0%	10%	20%	30%	40%	50%	60%	70%	80%	90%	100%
No diffic	culty at all							E	Extremely	difficult
	ne people en the rea ?		•				-		•	
0%	10%	20%	30%	40%	50%	60%	70%	80%	90%	100%
11. Son occ	oyance at ne people upational erfere with	have the	-		•	_		g with th	treme anr <b>eir acade</b>	
11116							uch does	s your da		
0%	10%						70%	s your da		ng
0%	10% rference at	your ac	ademic/c	occupatio	nal succ	ess?		80%	ıydreamiı	n <b>g</b> 100%
0% No inter 12. Son you	-	20% t all	30%	40%	50%	ess? 60% ost other	70%·things.	80% Extr	90% reme inter	100% ference
0% No inter 12. Son you hob	ference at ne people rather da bies?	20% t all would raydream	30% ather day	40% dream thage with	50% nan do m	ess? 60% ost other	70% things. articipate	80% Extr To what e	90% reme inter	100% ference ould es or
0% No inter 12. Son you	rference at me people rather da bies?	20% t all	30%	40%	50%	ess? 60% ost other	70%·things.	80% Extr To what e in socia	90% Teme interextent wo	100% ference ould es or
0% No inter 12. Son you hob  0% Not at a	rference at me people rather da bies?	20% t all would raydream	30% ather day than eng	40%  dream thage with	50% nan do mother pe	ess?  60%  ost other ople or p	70%  things. articipate	80% Extr To what ear in social 80% To	90% reme interest words at activities 90% the fulles	100% ference ould es or  100% at extent
0% No inter 12. Son you hob  0% Not at a	rference at ne people rather da bies? 10%	20% t all would raydream	30% ather day than eng	40%  dream thage with	50% nan do mother pe	ess?  60%  ost other ople or p	70%  things. articipate	80% Extr To what ear in social 80% To	90% reme interest words at activities 90% the fulles	100% ference ould es or  100% at extent

Never  15. Some people love to daydream. While you are daydreaming, to what extent do you find it comforting and/or enjoyable?  0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%  Not comforting/enjoyable at all  Very comforting/enjoyable  16. Some people find it hard to maintain their daydreaming when they are not listening to music. To what extent is your daydreaming dependent on continued listening to music?	0%	10%	20%	30%	40%	50%	60%	70%	80%	90%	100%
15. Some people love to daydream. While you are daydreaming, to what extent do you find it comforting and/or enjoyable?  10% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100% Not comforting/enjoyable at all Very comforting to music?  10% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100% Not dependent at all Totally dependent at all Totally dependent at all Totally dependent at all Very comforting and interpretation.  10a		10 70	20 /0	30 70	40 /0	0070	0070	7070	0070		
Not comforting/enjoyable at all  Not are people find it hard to maintain their daydreaming when they are not listening to music?  Not what extent is your daydreaming dependent on continued listening to music?  Not dependent at all  Notally dependent at all  Totally dependent at all  Totally dependent at the scores:  The total MDS-16 score is calculated as the average of the 16 item scores, with a range from 0 to 100.  40 or higher: Indicates suspected clinical-level maladaptive daydreaming  39 or below: These scores suggest that the individual's daydreaming habits are within a normal range and are not causing distress or impairment in daily functioning.  The MDS-16 is an open access measure and can be used without charge, but the developers request that any research paper or publication that uses it share its results with the International Consortium for Maladaptive Daydreaming Research.					n. While y	you are d	laydream	ing, to w	hat exte		
16. Some people find it hard to maintain their daydreaming when they are not listening to music. To what extent is your daydreaming dependent on continued listening to music?  0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%  Not dependent at all Totally dependent  Scoring and interpretation  Total the scores:  The total MDS-16 score is calculated as the average of the 16 item scores, with a range from 0 to 100.  40 or higher: Indicates suspected clinical-level maladaptive daydreaming  39 or below: These scores suggest that the individual's daydreaming habits are within a normal range and are not causing distress or impairment in daily functioning.  The MDS-16 is an open access measure and can be used without charge, but the developers request that any research paper or publication that uses it share its results with the International Consortium for Maladaptive Daydreaming Research.	0%	10%	20%	30%	40%	50%	60%	70%	80%	90%	100%
music. To what extent is your daydreaming dependent on continued listening to music?  0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 1009  Not dependent at all Totally dependent  Scoring and interpretation  Total the scores:  The total MDS-16 score is calculated as the average of the 16 item scores, with a range from 0 to 100.  40 or higher: Indicates suspected clinical-level maladaptive daydreaming  39 or below: These scores suggest that the individual's daydreaming habits are within a normal range and are not causing distress or impairment in daily functioning.  The MDS-16 is an open access measure and can be used without charge, but the developers request that any research paper or publication that uses it share its results with the International Consortium for Maladaptive Daydreaming Research.	Not cor	mforting/er	njoyable a	t all					Very con	nforting/e	njoyable
Not dependent at all  Scoring and interpretation  Total the scores:  The total MDS-16 score is calculated as the average of the 16 item scores, with a range from 0 to 100.  • 40 or higher: Indicates suspected clinical-level maladaptive daydreaming • 39 or below: These scores suggest that the individual's daydreaming habits are within a normal range and are not causing distress or impairment in daily functioning.  The MDS-16 is an open access measure and can be used without charge, but the developers request that any research paper or publication that uses it share its results with the International Consortium for Maladaptive Daydreaming Research.											
Scoring and interpretation  Total the scores:  The total MDS-16 score is calculated as the average of the 16 item scores, with a range from 0 to 100.  • 40 or higher: Indicates suspected clinical-level maladaptive daydreaming • 39 or below: These scores suggest that the individual's daydreaming habits are within a normal range and are not causing distress or impairment in daily functioning.  The MDS-16 is an open access measure and can be used without charge, but the developers request that any research paper or publication that uses it share its results with the International Consortium for Maladaptive Daydreaming Research.	0%	10%	20%	30%	40%	50%	60%	70%	80%	90%	100%
Total the scores:  The total MDS-16 score is calculated as the average of the 16 item scores, with a range from 0 to 100.  • 40 or higher: Indicates suspected clinical-level maladaptive daydreaming • 39 or below: These scores suggest that the individual's daydreaming habits are within a normal range and are not causing distress or impairment in daily functioning.  The MDS-16 is an open access measure and can be used without charge, but the developers request that any research paper or publication that uses it share its results with the International Consortium for Maladaptive Daydreaming Research.	Not de	oendent at	all						T	otally dep	endent
equest that any research paper or publication that uses it share its results with the International Consortium for Maladaptive Daydreaming Research.			_							_	_
Additional notes	The tot 100. • 40 •	or higher: or below:	Indicates These sco	suspecte	ed clinical lest that t	-level ma he individ	ladaptive ual's day	daydrean dreaming	ning		
	The tot 100.  • 40 • • 39 • range	or higher: or below: ge and are OS-16 is art t that any r	Indicates These sco not caus n open acresearch p	suspecte ores sugg ing distre cess mea oaper or p	ed clinical lest that the ss or implessor implessor and sure and publication	-level ma he individ airment ir can be u n that use	ladaptive ual's dayo n daily fun	daydreandreaming actioning.	ning habits ar	e within a	norma
	The tot 100.  • 40 • • 39 • range The MI reques Consor	or higher: or below: ge and are OS-16 is are t that any retium for M	Indicates These soce not caus n open acresearch paladaptive	suspecte ores sugg ing distre cess mea oaper or p	ed clinical lest that the ss or implessor implessor and sure and publication	-level ma he individ airment ir can be u n that use	ladaptive ual's dayo n daily fun	daydreandreaming actioning.	ning habits ar	e within a	norma
	The tot 100.  • 40 • • 39 • range The MI reques Consor	or higher: or below: ge and are OS-16 is are t that any retium for M	Indicates These soce not caus n open acresearch paladaptive	suspecte ores sugg ing distre cess mea oaper or p	ed clinical lest that the ss or implessor implessor and sure and publication	-level ma he individ airment ir can be u n that use	ladaptive ual's dayo n daily fun	daydreandreaming actioning.	ning habits ar	e within a	norma
	The tot 100.  • 40 • • 39 • range The MI reques Consor	or higher: or below: ge and are OS-16 is are t that any retium for M	Indicates These soce not caus n open acresearch paladaptive	suspecte ores sugg ing distre cess mea oaper or p	ed clinical lest that the ss or implessor implessor and sure and publication	-level ma he individ airment ir can be u n that use	ladaptive ual's dayo n daily fun	daydreandreaming actioning.	ning habits ar	e within a	norma