## **Manual Muscle Testing**

Patient information		
Patient's full name:	Date of testing:	
Age:	Gender:	
Attending therapist's full name:		
Medical history:		
Relevant diagnoses:		
Precautions/contraindications:		
Each muscle is graded on a scale from 0 to 5. Please refer to the following definitions:		
Grade 0: No contraction		

- Grade 1: Flicker or trace of contraction
- Grade 2: Active movement, with gravity eliminated
  Grade 3: Active movement against gravity
- Grade 4: Active movement against gravity and resistance
- Grade 5: Normal power

Muscle group	Left side	Right side	Testing procedure
Neck flexors	/5	/5	Patient supine, head and neck unsupported, actively flexes neck while therapist applies resistance to forehead.
Neck extensors	/5	/5	Patient prone, head and neck unsupported, actively extends neck while therapist applies resistance to occiput.
Shoulder flexors	/5	/5	Patient seated, elbow extended, arm supinated; patient lifts arm forward and upward while therapist applies resistance.
Shoulder extensors	/5	/5	Patient seated, elbow extended, arm pronated; patient moves arm backward and downward while therapist applies resistance.
Shoulder abductors	/5	/5	Patient seated, elbow extended, arm neutral; patient lifts arm sideways and upward while therapist applies resistance.
Shoulder external rotators	/5	/5	Patient seated, elbow flexed at 90 degrees, forearm pronated; patient rotates forearm outward while therapist applies resistance.
Shoulder internal rotators	/5	/5	Patient seated, elbow flexed at 90 degrees, forearm supinated; patient rotates forearm inward while therapist applies resistance.
Elbow flexors	/5	/5	Patient seated, forearm supinated; patient bends elbow while therapist applies resistance to distal forearm.
Elbow extensors	/5	/5	Patient seated, forearm supinated; patient straightens elbow while therapist applies resistance to distal forearm.
Wrist flexors	/5	/5	Patient seated, forearm supported, wrist in neutral; patient flexes wrist while therapist applies resistance to dorsum of hand.
Wrist extensors	/5	/5	Patient seated, forearm supported, wrist in neutral; patient extends wrist while therapist applies resistance to palm.
Finger flexors	/5	/5	Patient seated, forearm supported, fingers extended; patient flexes fingers while therapist applies resistance to fingertips.
Finger extensors	/5	/5	Patient seated, forearm supported, fingers flexed; patient extends fingers while therapist applies resistance to dorsum of hand.
Finger abductors	/5	/5	Patient seated, forearm supported, fingers together; patient spreads fingers apart while therapist applies resistance.
Thumb flexors	/5	/5	Patient seated, forearm supported, thumb extended; patient flexes thumb while therapist applies resistance to thumb.

Muscle group	Left side	Right side	Testing procedure
Thumb extensors	/5	/5	Patient seated, forearm supported, thumb flexed; patient extends thumb while therapist applies resistance to thumb.
Thumb abductors	/5	/5	Patient seated, forearm supported, thumb adducted; patient moves thumb away from palm while therapist applies resistance.
Hip flexors	/5	/5	Patient supine, knee flexed at 90 degrees; patient lifts knee toward chest while therapist applies resistance to thigh.
Hip extensors	/5	/5	Patient prone, knee straight; patient lifts leg upward while therapist applies resistance to posterior thigh.
Hip abductors	/5	/5	Patient side lying, top leg straight; patient lifts top leg while therapist applies resistance to lateral thigh.
Hip external rotators	/5	/5	Patient seated, knee flexed at 90 degrees; patient rotates leg outward while therapist applies resistance to lateral ankle.
Hip internal rotators	/5	/5	Patient seated, knee flexed at 90 degrees; patient rotates leg inward while therapist applies resistance to medial ankle.
Knee flexors	/5	/5	Patient prone, knee straight; patient bends knee while therapist applies resistance to lower leg.
Knee extensors	/5	/5	Patient seated, knee bent; patient straightens knee while therapist applies resistance to lower leg.
Ankle dorsiflexors	/5	/5	Patient seated, foot unsupported; patient lifts foot up while therapist applies resistance to dorsum of foot.
Ankle plantar flexors	/5	/5	Patient seated, foot unsupported; patient pushes foot down while therapist applies resistance to sole of foot.
Ankle invertors	/5	/5	Patient seated, foot unsupported; patient turns sole of foot inward while therapist applies resistance to lateral foot.
Ankle evertors	/5	/5	Patient seated, foot unsupported; patient turns sole of foot outward while therapist applies resistance to medial foot.