Social Network Index

| Name: | | | | | | Age | e: | Date: | |
|-----------------------|---|-----------------------------|----------|-----------|-----------|------------|--------------|---|----------------|
| Instruction | s | | | | | | | | |
| • | ds, work | mates, | neighb | ors, etc | • • | | | talk to on a regula er each question o | • |
| 1. Which | of the fo | llowing | j best c | lescribe | es your | marital | status? | | |
| (2) (3) (4) | Never ma Separate | arried & ed I or form | never | lived wit | th some | one in a | marital-lik | e in marital-like rel e relationship relationship | ationship |
| 2. How m | | dren do | you h | ave? (If | you do | on't hav | e any chile | dren, check '0' ar | ıd skip to |
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 or mo | ore | |
| 2a. How n | nany of y | our chil | dren do | you se | e or talk | k to on th | ne phone a | it least once every | 2 weeks? |
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 or mo | ore | |
| 3. Are eitl | ner of yo | our pare | ents liv | ing? (If | neither | r is livin | g, check ' | 0' and skip to qu | estion 4.) |
| (1) | Neither Mother o Father oi Both | • | | | | | | | |
| 3a. Do you | u see or | talk on t | he pho | ne to ei | ther of y | our par | ents at leas | st once every 2 we | eks? |
| (1) | Neither Mother o Father oi Both | | | | | | | | |
| 4. Are eith appropria | | | | | | nts) livi | ng? (If you | ı have none, ched | k the |
| (1) (2) (3) | Neither Mother o Father oi Both Not appli | nly | | | | | | | |
| 4a. Do you | u see or | talk on t | he pho | ne to ei | ther of y | our par | tner's pare | nts at least once e | every 2 weeks? |
| (1) (2) (3) | Neither Mother o Father oi Both Not appli | nly | | | | | | | |

| 5. How many other relatives (other than your spouse, parents & children) do you feel close to? (If '0', check that space and skip to question 6.) | | | | | | | |
|--|-----------|--------|-----------------|----------|----------|---------|--|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 or more |
| 5a. How many of these relatives do you see or talk to on the phone at least once every 2 weeks? | | | | | | | |
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 or more |
| 6. How many close friends do you have? (meaning people that you feel at ease with, can talk to about private matters, and can call on for help) | | | | | | | |
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 or more |
| 6a. How many of these friends do you see or talk to at least once every 2 weeks? | | | | | | | |
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 or more |
| 7. Do you belong to a church, temple, or other religious group? (If not, check 'no' and skip to question 8.) | | | | | | | |
| No | Yes | | | | | | |
| 7a. How ma weeks? (Th | | | | | | | o do you talk to at least once every 2 |
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 or more |
| 8. Do you attend any classes (school, university, technical training, or adult education) on a regular basis? (If not, check 'no' and skip to question 9.) | | | | | | | |
| No | Yes | | | | | | |
| 8a. How maincludes at | • | | | eacher | s do you | talk to | at least once every 2 weeks? (This |
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 or more |
| 9. Are you currently employed either full or part-time? (If not, check 'no' and skip to question 10.) | | | | | | | |
| ` , | es, self- | | ed oy others | 3 | | | |
| 9a. How ma | any peop | ole do | you supe | ervise? | | | |
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 or more |
| 9b. How many people at work (other than those you supervise) do you talk to at least once every 2 weeks? | | | | | | | |
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 or more |
| 10. How many of your neighbors do you visit or talk to at least once every 2 weeks? | | | | | | | |
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 or more |
| 11. Are you currently involved in regular volunteer work? (If not, check 'no' and skip to question 12.) | | | | | | | |
| No | Yes | | | | | | |

| 11a. How many people involved in this volunteer work do you talk to about volunteering-related issues at least once every 2 weeks? | | | | | | | |
|--|----------|--|-------------|----------|---|-----------|--|
| 0 | 1 | 2 3 | 4 | 5 | 6 | 7 or more | |
| 12. Do you belong to any groups in which you talk to one or more members of the group about group-related issues at least once every 2 weeks? Examples include social clubs, recreational groups, trade unions, commercial groups, professional organizations, groups concerned with children like the PTA or Boy Scouts, groups concerned with community service, etc. (If you don't belong to any such groups, check 'no' and skip the section below.) | | | | | | | |
| No Yes | | | | | | | |
| Consider those groups in which you talk to a fellow group member at least once every 2 weeks. Please provide the following information for each such group: the name or type of group and the total number of members in that group that you talk to at least once every 2 weeks. | | | | | | | |
| Group | | Total number of group members that you talk to at least once | | | | | |
| 1. | | | | | | | |
| 2. | | | | | | | |
| 3. | | | | | | | |
| 4. | | | | | | | |
| 5. | | | | | | | |
| 6. | | | | | | | |
| Number of h | igh-con | tact roles (N | Network div | ersity): | | | |
| Number of p | eople ir | social net | vork: | | | | |
| Number of embedded networks: | | | | | | | |
| Additional notes | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Scoring

A. Number of high-contact roles (Network diversity)

This is the number of social roles in which the respondent has regular contact (i.e., at least once every 2 weeks) with at least one person. The maximum number of high-contact roles is 12.

They are: spouse, parent, child, child-in-law, close relative, close friend, church/temple member, student, employee, neighbor, volunteer, and group member. (It would also be possible to count each group a person belongs to [question 12] as a separate social role, however we have not done this in our previous work.)

For each of the 12 possible high-contact roles, assign a 0 if the respondent does not have the role and a 1 if he/she does. The total number of high-contact roles is computed by summing the 0s and 1s. The table below shows which scale items are used in the computation and how each is scored.

Role item number scores 1 if response is ...

- Spouse 11
- Parent 2a not 0
- · Child 3a not 0
- Child-in-law 4a not 0
- Close relative 5a not 0
- Close friend 6a not 0
- Church/temple member 7a not 0
- Student 8a not 0
- Employee 9a & 9b not 0 for both items
- Neighbor 10 not 0
- Volunteer 11a not 0
- Group member 12 not 0 for # of group members talked to every 2 weeks

B. Number of people in social network

This is the total number of people with whom the respondent has regular contact (i.e., at least once every 2 weeks).

For each of the 12 possible roles, determine the number of people with whom the respondent has regular contact. The total number of people in the social network is computed by summing across the 12 roles. The table below shows which scale items are used in the computation and how each is scored.

Role item number scoring

- Spouse 1 scores 1 if respondent is married, otherwise scores 0
- Parent 2a use the number indicated
- Child 3a 1,2=1; 3=2
- Child-in-law 4a 1,2=1; 3=2
- Close relative 5a use the number indicated
- Close friend 6a use the number indicated
- Church/temple member 7a use the number indicated
- Student 8a use the number indicated

- Employee 9a & 9b sum of 9a & 9b
- Neighbor 10 use the number indicated
- Volunteer 11a use the number indicated
- Group member 12 sum of number of group members talked to at least once every 2 weeks

Note: Individuals sometimes interpret the SNI item inquiring about the number of "other group" members with whom they interact at least once every 2 weeks more broadly than intended, with some respondents reporting up to 100 or more fellow group-members. To ensure that social network size scores are not artificially inflated by individuals reporting large group memberships, the authors recommend recoding the variable so that all values over 6 are given a score of 7, thus keeping it consistent with all other quantitative SNI items.

C. Number of embedded networks

This measure is meant to reflect the number of different network domains in which a respondent is active. The maximum possible is 8. They are: family, friends, church/temple, school, work, neighbors, volunteering, and groups.

To receive a point for a domain, a respondent must have at least 4 high-contact people within that domain. The 5 family roles are collapsed into one network for this measure. To receive a point for family, they are required to have at least 3 high-contact family roles as well as 4 high-contact people.

If the subject meets the criteria for an embedded network, assign a score of 1 for that network, otherwise assign a 0. The total number of embedded networks is computed by summing the 0s and 1s. The table below shows the criteria used for each embedded network:

Embedded network scores 1 if S has at least 4 high-contact questionnaire item(s)

- Family
- Family members and at least 3 high-contact family roles
- 1, 2a, 3a, 4a, 5a
- Friends, friends 6a
- Church/ temple church/temple members 7a
- School students/teachers 8a
- Work, work associates 9a and 9b
- Neighbors neighbors 10
- Volunteering fellow volunteers 11a
- Groups, group members 12

Although the authors have found this useful in a number of exploratory analyses, they have not published any data using number of embedded networks.

References

Carnegie Mellon University. (n.d.-a). *SNI score - laboratory for the study of stress, immunity, and disease - department of psychology - Carnegie Mellon University*. https://www.cmu.edu/dietrich/psychology/stress-immunity-disease-lab/scales/html/sniscore.html

Carnegie Mellon University. (n.d.-b). *Social network index*. https://www.cmu.edu/common-cold-project/measures-by-study/psychological-and-social-constructs/social-relationships-loneliness-measures/social_network_index_rev.pdf

Cohen, S., Doyle, W. J., Skoner, D. P., Rabin, B. S., & Gwaltney, J. M. (1997). Social ties and susceptibility to the common cold. *The Journal of the American Medical Association*, 277, 1940-1944. https://pubmed.ncbi.nlm.nih.gov/9200634/