

ICU Mobility Scale

Patient's name:		
Date of birth:		
Healthcare provider:		
Assessment date:		
Scale		
	Classification	Definition
0	Nothing (lying in bed)	Passively rolled or passively exercised by staff, but not actively moving.
1	Sitting in bed, exercises in bed	Any activity in bed, including rolling, bridging, active exercises, cycle ergometry and active assisted exercises; not moving out of bed or over the edge of the bed.
2	Passively moved to chair (no standing)	Hoist, passive lift or slide transfer to the chair, with no standing or sitting on the edge of the bed.
3	Sitting over the edge of bed	May be assisted by staff, but involves actively sitting over the side of the bed with some trunk control.
4	Standing	Weight-bearing through the feet in the standing position, with or without assistance. This may include the use of a standing lifter device or tilt table.
5	Transferring bed to chair	Able to step or shuffle through standing to the chair. This involves actively transferring weight from one leg to another to move to the chair. If the patient has been stood with the assistance of a medical device, they must step to the chair (not included if the patient is wheeled in a standing lifter device).
6	Marching on spot (at bedside)	Able to walk on the spot by lifting alternate feet (must be able to step at least 4 times, twice on each foot), with or without assistance.
7	Walking with the assistance of 2 or more people	Walking away from the bed/chair by at least 5 meters (5 yards) assisted by 2 or more people.
8	Walking with the assistance of 1 person	Walking away from the bed/chair by at least 5 meters (5 yards) assisted by 1 person.
9	Walking independently with a gait aid	Walking away from the bed/chair by at least 5 meters (5 yards) with a gait aid, but with no assistance from another person. In a wheelchair-bound person, this activity level includes wheeling the chair independently 5 meters (5 yards) away from the bed/chair.
10	Walking independently without a gait aid	Walking away from the bed/chair by at least 5 meters (5 yards) without a gait aid or assistance from another person.
Score:		

Additional notes

Reference

Hodgson, C., Needham, D., Haines, K., Bailey, M., Ward, A., Harrold, M., Young, P., Zanni, J., Buhr, H., Higgins, A., Presneill, J., & Berney, S. (2014). Feasibility and inter-rater reliability of the ICU Mobility Scale. *Heart & Lung*, 43(1), 19–24. <https://doi.org/10.1016/j.hrtlng.2013.11.003>